INTELLIGENT AGENTS & INTEROPERABLE SIMULATION FOR STRATEGIC DECISION MAKING ON MULTICOALITION JOINT OPERATIONS

Agostino G. Bruzzone¹, Marina Massei¹, Francesco Longo², Letizia Nicoletti³, Riccardo Di Matteo³, Gianluca Maglione³, Matteo Agresta³

¹ DIME University of Genoa

Email: {agostino, massei}@itim.unige.it URL: www.itim.unige.it

² DIMEG, University of Calabria

Via Ponte Pietro Bucci, Cube 45C, Third Floor, Cosenza, Italy Email: f.longo@unical.it URL: www.msc-les.org

³ Simulation Team

Email: {letizia.nicoletti, riccardo.dimatteo, gianluca.maglione, matteo.agresta}@simulationteam.com URL: www.simulationteam.com

ABSTRACT

This paper proposes an innovative interoperable federation developed for addressing strategic decision making on multi-coalition operations. The proposed architecture integrates several different simulators in HLA and is open to be operated in different modes from stand alone basic installation to fully integrated with entity based simulations. The simulator uses Intelligent Agents, to reproduce human behavior and human factors, as well as discrete event simulation paradigm into virtual and constructive environments.

The paper describes the models as well as the approach to address this problem; some experimental results related a realistic scenario are proposed as well as the different a solutions adopted to support Commander engagement in using this kind of simulation.

Keywords: Intelligent Agents, Human Factors, High Level Architecture, Multi-coalitions, Joint Operations

INTRODUCTION

Currently most of existing humanitarian and normalization operations are carried out by international organization; in facts today most of the military operations carried out overseas have to face interaction with civilians in different roles, such as refugees, immigrants, internally displaced persons, etc. (Main 2009; Bruzzone, Sokolowski 2012); the dimension of the situations to be addressed as well as the socio cultural economic context are normally so big that it is pretty common to operate by multi coalition with specific goals and interests that interact in the same area by involving entities such as United Nations, NATO, EU, Nations (e.g. Russia, China), Red Cross, Red Crescent Moon etc.

In these contexts, the human factors are often the main aspects to be addressed as happen in recent scenarios such as Libya, Afghanistan, Syria (Johnson et al. 2008,

Bellamy & Williams 2011: Dewachi et al. 2014). For instance the HBM (Human behavior modifiers) that include fear, fatigue, stress, aggressiveness as well as need for food, water, health care and security strongly influence the behavior of both military forces (including also opposing force) and population, both locally and domestically (Gartner & Segura 2008; Kreps 2010; Bruzzone et al. 2013b). The rational and emotional behavior of the people within the scenario is another crucial element (Bruzzone et al. 2011a). Examples from operations in different cases from piracy to CIMIC. from country reconstruction to Disaster Relief confirms that the use of simulation integrated with human behavioral models are key issues for proper decision making (Bruzzone et al.2010, 2011b). Simulation Team developed since 2001 intelligent agents to be used to address these issues; in particular IA-CGFs (Intelligent Agents Computer Generated Forces) have been successfully applied over a wide spectrum of applications and tailored for different socio-cultural frameworks (Bruzzone 2013a). So in this paper they have been used to address specifically multi-coalition joint operation and to create an interoperable simulation over this mission environment as done for other cases (Bruzzone et al. 2012).

Due to these reason the creation of interoperable simulation integrating all these elements represents an important achievements for supporting decision making on issues related to human factors within complex scenarios.

The authors propose here these models in relation to a project devoted to create a simulator for immersing a Commander into a comprehensive scenario where human factors are decisive (Bruzzone et al. 2014a).

The research is related to SIMCJOH (Simulation of Multi Coalition Joint Operations involving Human Modeling) project that was developed under coordination of Simulation Team, DIME, Genoa University in cooperation with CAE, Cal-Tek, MAST, MSC-LES University of Calabria and Selex (Bruzzone et al. 2014a) and cosponsored by Italian MoD.



Fig. 1 SIMCJOH_VIS Main Window. Presents the situation and the events to the User and all major commands

This paper focus is on SIMCJOH federation and in particular on SIMCJOH VIS (Virtual Interoperable Simulator) and SIMCJOH VIC (Virtual Interoperable Commander) that are the two main simulators, developed by Simulation Team, for directing the whole simulation and managing the human factors.

1. DEALING WITH OPERATIONS AFFECTED BY HUMAN FACTORS: SIMULATION AS ENABLING SOLUTION

To model complex operations involving population and human factors is a challenge and requires the tailoring of HBM for the specific scenario; indeed in this case the mission environment is driven by SIMCJOH project and focusing on Middle East; in facts the authors had experience in tuning HBM for many different regions including this context (Bruzzone et al. 2014a). Originally SIMCJOH was devoted to carry out R&D activities with the aim of understanding at which extent interoperable simulators are effective and efficient within a multi-coalition context for supporting the Commander and his Staff in addressing and solving specific problems strongly dependent on human factors. Indeed Modeling & Simulation (M&S) makes possible recreating complex scenarios and carrying out what-if analyses with the aim of evaluating the effectiveness of several alternatives (Course of Actions, COAs). By this approach it is possible to develop training aids and even briefing supports able to immerse the Commander and his Staff into a virtual scenario driven by the Intelligent Agents (IA) that evolves dynamically and react to the decisions and actions in real time or fast time.

For this purpose SIMCJOH was developed as an interoperable Federation able to operate in multiple modes; for instance SIMCJOH could run in stand-alone mode for being used simply and quickly by the Commander on his own laptop to improve effectiveness of briefings when he is assigned to a new command and/or in a new geopolitical area. As alternative SIMCJOH could be fully federated through HLA (High Level Architecture) integrating entity level simulation, scenario generators, communication network models,

C2; in this second case SIMCJOH could become a dynamic element of a CAX (Computer Assisted Exercise) that introduces strategic issues and human factors within a large scenario. SIMCJOH adopts the innovative paradigm MS2G (Modeling, interoperable Simulation and Serious Game) for guarantee easy distribution of the simulator; indeed in this case the main simulator is able to interact through web and it was designed for being visible within a browser (Bruzzone et al.2014b). Such concepts benefit of previous experiences in web based simulation (Bruzzone et al. 2008, 2009a, 2009b) that are adopted in SIMCJOH VIC; this is an interoperable serious game devoted to immerse the Commander into a 3D environment synchronized with SIMCJOH scenario evolution and it is able to provide video streams from drones point of view; this approach allows to overpass traditional serious games and to adopt new uses for these applications such as crowdsourcing and virtual experiencing on complex systems (Rayburn 2012; Tremori et al. 2014)




Fig. 2: SIMCJOH VIS Tactical Representation Window

2. VIRTUAL INTEROPERABLE SIMULATOR

The authors developed the main simulation engine for this scenario as an innovative model, defined SIMCJOH VIS (Virtual Interoperable Simulator). SIMCJOH VIS is a stochastic discrete event simulation driving events, human behaviors, population reactions, unities and events over whole SIMCJOH federation. SIMCJOH VIS simulator is a specific NCF (Non Conventional Framework) of IA-CGF (Intelligent Agent -Computer Generated Forces) which drives the units and active entities within SIMCJOH federation. This simulator is in charge of reproducing emotional, rational and social behaviors of entities and units and, even, to interact with the Virtual Assistants that are reproducing virtually his staff. Indeed the Virtual Assistants are proactive IA proposing to the Commander problems and open issues, as well as possible solutions in terms of alternative COA; these IAs execute Commander's decision; in addition to that they actively react to Commander requests.





Fig. 3: SIMCJOH_VIS Popup

These processes are simulated considering stochastic durations and workload required to identify the problem, prepare the alternatives and present them to the Commander as well as to assign operational orders. Most of the events generated and managed by SIMCJOH VIS are presented by other federates (e.g. tactical situation, C2 representation, virtual immersive 3D environment), therefore to support easy quick stand alone mode SIMCJOH VIS proposes also its own intuitive dynamic graphics (see figure 1); in this case the crisis representation, the boundary conditions (e.g. daylight, sensor view, population status) as well all the events are visible on the GUI; the events are represented as pop up while a sequential storyline is generated stochastically in consistency with the simulator during the evolutions of the events.



Fig. 4: SIMCJOH_VIS Virtual Assistants

3. SIMCJOH VIS FEATURES

SIMCJOH_VIS includes Entity Simulation Models and it allows simulating different kind of entities and units; these entities could be represented over a very basic tactical framework within SIMCJOH_VIS even if tactical and virtual representations are supported by other simulators federated in HLA SIMCJOH Federation. SIMCJOH_VIS considers the use of entities for many different assignments including "force to force" actions, therefore these agents drives also other entities such as paramilitary units, ambulance and NGO, demonstrations etc. The simulated entities are characterized by several information including among the others HBM. Indeed Figure 2 presents a very basic tactical representation of the on-going situation.



Fig. 5: Graphic Dynamic Representation

In figure 3 are reported examples of two Pop-up generated dynamically by SIMCJOH_VIS during the Simulation corresponding to info distributed over HLA. In figure 4 is presented a Virtual Assistant (VA) and the possibility to request him actions and reports. It is possible to access to SIMCJOH_VIS Virtual Reports generated by the Vas and then, eventually, to decide what COA apply in reference to current situation.

4. HUMAN BEHAVIOR MODIFIERS

As shown in figure 5, SIMCJOH_VIS proposes the dynamic evolution of HBM (Human Behavior Modifiers) along each simulation run; these objects corresponds to the main human factors and their evolution is driven by IA-CGF; the events dynamically generated are creating also opportunities for decisions, autonomous reactions and emerging behaviors.

In in the upper part of figure 6, the graph proposes the different variables as ball elements; these include from left to right:

Fatigue - Fear - Stress - Aggressiveness - Hostility - Deterrence - Local Trustiness - Domestic Opinion - Demonstration Size

Human Behavior Modifiers Dynamic Representation in SIMCJOH VIS




Fig. 6: HBM Dynamic Representation

Each ball element rotates based on its change rate and moves up and down based on its intensity; their values are pure numbers corresponding to a relative scale going from zero to 100 for Fatigue, Fear, Stress, Aggressiveness, Hostility; the relative scale used moves from minus 100 to plus 100 for Deterrence, Local Trustiness, Domestic Opinion in terms of positive and negative attitude respect opposite size; Demonstration Size is scaled between zero to 1000 people.

Small Squares are generated and moved, in this figure, toward the different Human Behavior Modifiers (e.g. stress, fatigue, etc); each of these squares represents an event or action that is increasing/decrease these modifiers. Vice versa, in the lower part of the window the graph presents the same factors as balls, but it reproduces their behavior in terms of temporal evolution along simulation time horizon as well as their trends; this supports the users in understanding the situation evolution, in identifying the critical changes in population behavior corresponding to crucial events as well as the effects of his decisions. The Temporal evolution of target functions is also available for analysis (ASCII file in format CSM).




Fig. 7a: SIMCJOH Federation in full operative mode for CAX



Fig. 7b: SIMCJOH VIS and VIC federated locally (e.g. same machine)

5. HIGH LEVEL ARCHITECTURE

SIMCJOH_VIS operates as main element of SIMCJOH Federation and drives the whole scenario evolution; currently it was experimented mostly by operating with Pitch and Mäk, but also portico was tested; SIMCJOH_VIS was used mostly in Windows environments, even if limited tests were conducted also on Linux and Mac. The SIMCJOH architecture is proposed in figures 7a and 7b.

The proposed simulator allows changing the configuration to allow proper initial setting in reference to eventual limitation of other federates,

HLA Configuration for this simulator includes:

- Federate Name
- Federation Name to Join
- RTI Engine to be used, currently supporting Mäk, Pitch and Portico
- IP Address
- Port Number
- Synchronization Point Mode and Number of Federates to wait as well as Synchronization Object Name
- Date and Time to use as offset for Simulation in HLA mode

In order to guarantee the interoperability among the different simulators, it was introduced a specific interaction defined as PlayerMessage to be made available in SIMCJOH format and in JSON (JavaScript Object Notation) format.

Both formats could be activated concurrently generating in HLA multiple messages for same event.

SIMCJOH_VIS includes other possible elements devoted to change Simulation Setup through the following variables:

- Duration of the Simulation [h]
- Offset that represent the starting time and date for the simulation in standalone mode.



Fig. 8: Simulation Setup and HLA Configuration

6. SCENARIO

The context for testing SIMCJOH is identified in Middle East area over an hypothetical country, named Eblanon, where United Nation (UN) are active by a multi-coalition mission; the case study address the Commander of an Italian Army Brigade that is responsible for the area; the scenario includes events that, despite their small entity, have strategic relevance for the contingent and for multicoalitions; in this paper is proposed a MEL/MIL (Main Event List/Main Incident List) developed by the authors where a squad is blocked into a village by demonstrators requiring them to surrender their weapons; considering the UN mandate and ROE it is evident the critical impact of such decision; the simulator regulates this scenario adding many possible elements such as presence of international and/or local media, mobile coordination, presence under coverage of insurgents and/or snipers, accessibility to the area by helicopters, previous CIMICs (Civil Military Cooperation) in the village and their success rate, etc. Based on this scenario and on available resources the Commander could decide different courses of actions, eventually tailoring them, while the IAs driving his staff (e.g. J2, J3, CULAD, POLAD, PAO etc.) support his decisions and direct the simulation evolution in similar way other IAs rule other parties (e.g. population, local authority, religious authorities, bordering countries, insurgents, etc.). The nature of this area of Middle East is pretty interesting considering the large differences in terms of ethnics, religion, social status, education, etc. In addition to these elements the presence of different players (e.g. Local Authorities, Health Care, Red Crescent Moon, Other Coalition Partners having specific equipment, etc) forces the Commander to understand the correlations among different actors.

7. EXPERIMENTAL ANALISYS

SIMCJOH VIS was subjected to formal, informal and dynamic VV&T (Verification, Validation and Testing); the model was presented and discussed with military experts involved in the specific scenario used for the experimentation; in addition the data collected by multiple simulation runs were used within ANOVA (Analysis of Variance) by applying Design of Experiments (Montgomery 2008). In facts, the SIMCJOH experimentation was focusing on identifying the behaviors of target functions mapped by the simulator; this analysis represents an example of how Design of Experiments and Sensitivity Analysis allow evaluating the impact of independent variables on the target functions. Concerning the experimentation execution and the simulation results, an example of techniques and methodologies to be used for studying results consistency is proposed in this paper. In particular Mean Square pure and Sensitivity Analysis are carried out for the different alternatives.

The analysis of MSpE (Mean Square pure Error) is a consolidate techniques supporting ANOVA both in terminating and steady state simulations; indeed MSpE measures the variance of the target functions among replicated runs over the same boundary conditions; by this approach it becomes possible to identify the number of replications and the simulation duration able to guarantee a desired level of precision; MSpE values in correspondence of these experimental parameters determines the amplitude of the related confidence bands. Vice versa Sensitivity Analysis allows identifying the influence of different parameters or choices respect specific target functions; for sensitivity analysis hereafter are synthetized the main alternative

- **Stand By COA**: The Commander requests to wait for further evolution
- **Negotiation & CIMIC COA**: Using CIMIC and previous activities in the area to negotiate with locals about stopping the crisis
- *Kinetic COA*: The Commander requests to prepare military units in stand by status to force the demonstrators to desist by applying controlled deterrence
- *Negotiation and Local Forces COA*: The Commander requires support to Local Police Authorities for negotiating with the population and solving the problem.

$$MSpE (t, n_0) = \frac{\sum_{i=1}^{n_0} x_i(t) - \overline{x}(t)}{n_0} \quad \overline{x}(t) = \frac{\sum_{i=1}^{n_0} x_i(t)}{n_0}$$

$$t \quad \text{simulation time}$$

$$no \quad \text{number of replications with same}$$

$$boundary \quad \text{conditions and different}$$

random seeds

MspE (t,no,) Mean Square pure Error at t time

In fact the MSpE allows to quantify the experimental error due to influence of the stochastic components respect the required replications or durations for obtaining a stabilization; so by this approach it becomes possible to estimate the confidence bands on the different target functions. For instance, considering the Aggressiveness Level of Population related to the 4 different commander decisions, the MSpE (Mean Square pure Error) was computed by carrying out replicated runs over the same boundary conditions.




Fig. 9: Evolution in case the Commander applies "Stand By COA"




Fig.10: Option 1 – Negotiation & CIMIC: Results of Different Runs




Fig. 11: Option 1 – Negotiation & CIMIC COA - MSpE




Fig. 12: Option 2 – Kinetic COA: MSpE




Fig. 13: Option 2 – Kinetic COA: Replicated Runs




Fig. 14: Option 3 – Negotiation & Local Forces COA: MSpE




Fig. 15: Option 3 – Negotiation & Local Forces COA: Replicated Runs




Fig. 16: Option 2 - Kinetic COA: different End States - Demonstration Size




Fig. 17: Option 2 - MSpE among Converging Runs - Kinetic COA



Fig. 18: Option 3 - Negotiation and Local Forces COA – Size of the Demonstration




Fig. 19: Option 3 - Negotiation & Local Forces COA – Demonstration Size MSpE

In the proposed figures, multiple runs are compared for the different decisions; indeed different end states could obtained to stochastic components due corresponding to the risk element; therefore, based on MSpE, the final achievements are consistent. A further analysis has been conducted by measuring the Demonstration size along the simulation respect the main different COAs corresponding to Commander. The results of the MSpE considering 10 replicated runs are proposed into the attached figures. By applying Design of Experiments, it was completed a set of experimental tests for evaluating the influence of the independent variables respect the target functions; this Sensitivity Analysis is synthesized in last figures 20a and 20b where the main alternative COAs are compared respect target function. SIMCJOH VIS was extensively tested federated with SIMCJOH VIC and with other HLA Federates within SIMCJOH Federation including among the others: GESI, SGA, SC and summarized in terms of target function temporal evolution as proposed in figure 21

CONCLUSION

SIMCJOH_VIS (Interoperable Virtual Simulator) represents an important opportunity to create new dynamic scenarios for different applications: preparation and briefings related to new environmental conditions (immersion in new scenarios), training on the comprehensive approach, training, etc.




Fig. 20a: Main COA Decision Sensitivity respect Demonstration Average Size




Fig. 20b: Sensitivity of Main COA Decision on Aggressiveness Level




Fig. 21: Target Function Report

The human models of SIMCJOH VIS could be integrated with other scenarios, missions and operations where these aspects are important and may interact with models simulators. In and SIMCHJOH VIS is built for validating experiencing the potential of a new generation of MS2G (modeling, simulation interoperable and Serious Games) able to use human behavioral patterns and ensure interoperability with other simulators to recreate complex scenarios. Indeed SIMCJOH_VIS is also further developable to create a training system able to reproduce case studies and to provide an interactive environment to understand reactions and human factors related to decisions and events. The authors are currently working to develop new actions and mission environments based on this approach and are planning to use SIMCJOH within existing CAX

ACKNOWLWDGMENTS

The authors thank the Italian MoD and the NATO M&S CoE in Roma for their effective contribution over the years of SIMCJOH Project.

REFERENCES

- Bellamy, A. J., & Williams, P. D. (2011). The new politics of protection? Côte d'Ivoire, Libya and the responsibility to protect. International Affairs, 87(4), 825-850
- Bruzzone A.G., Tremori A., Cunha G. (2008)
 "Intelligence and Security as Framework for Applying Serious Games", Proceedings of SeriGamex 2008, November, Rome
- Bruzzone, A., Tremori, A., & Massei, M. (2009a). Serious games for training and education on defense against terrorism. Genoa Univ, Italy
- Bruzzone A.G., Cunha G., Elfrey P., Tremori A. (2009b) "Simulation for education in resource management in homeland security", Proceedings of SCSC, Istabul, July.
- Bruzzone, A. G., & Massei, M. (2010). Intelligent agents for modelling country reconstruction operation. In Proceedings of the Third IASTED African Conference (Vol. 685, No. 052, p. 34).
- Bruzzone, A. G., Tremori, A., Tarone, F., & Madeo, F. (2011a). Intelligent agents driving computer generated forces for simulating human behaviour in urban riots. International Journal of Simulation and Process Modelling, 6(4), 308-316.
- Bruzzone, A.G., Tremori, A., Massei, M., (2011b), "Adding Smart to the Mix," Modeling, Simulation & Training: the International Defence Training Journal, 3, 25-27
- Bruzzone A., Sokolowski J. (2012) "Internally Displaced Persons (IDPs), Refugees & Immigrants as Agents and Models for Simulation Scenarios", Proceedings of 7th NATO CAX Forum, Rome, Italy
- Bruzzone A.G., Buck W., Longo F., Sokolowski J., and Sottilare R. (2012). The International Defense and Homeland Security Simulation Workshop 2012, Vienna, Austria, September 19-21, DIPTEM Universita' di Genova, 6-12
- Bruzzone, A. G. (2013a). Intelligent agent-based simulation for supporting operational planning in country reconstruction. International Journal of Simulation and Process Modelling, 8(2-3), 145-159.
- Bruzzone A.G., Tremori A., Sokolowski J., Banks C., Longo F., Casapietra A., Corso M., Ferrando A., Porro P., Dell'Acqua F (2013b) "Innovative Models for Multi-Coalition Management", Proceedings of WAMS, Buenos Aires, Argentina, November
- Bruzzone A.G., Massei, M., Longo, F., Poggi, S., Agresta, M., Bartolucci, C., & Nicoletti, L. (2014a, April). Human behavior simulation for complex scenarios based on intelligent agents. In Proceedings of the 2014 Annual Simulation Symposium, SCS

- Bruzzone A.G., Massei M., Tremori A., Longo F., Nicoletti L., Poggi S., Bartolucci C., Picco E., Poggio G. (2014b) "MS2G: simulation as a service for data mining and crowd sourcing in vulnerability reduction", Proceedings of WAMS, Istanbul, September
- Dewachi, O., Skelton, M., Nguyen, V. K., Fouad, F. M., Sitta, G. A., Maasri, Z., & Giacaman, R. (2014). Changing therapeutic geographies of the Iraqi and Syrian wars. The Lancet, 383(9915), 449-457.
- Gartner, S. S., & Segura, G. M. (2008). All politics are still local: The Iraq War and the 2006 midterm elections. PS: Political Science & Politics, 41(01), 95-100
- Johnson, T. H., & Mason, M. C. (2008). Understanding the Taliban and insurgency in Afghanistan. Orbis, 51(1), 71-89.
- Kreps, S. (2010). Elite Consensus as a Determinant of Alliance Cohesion: Why Public Opinion Hardly Matters for NATO-led Operations in Afghanistan. Foreign policy analysis, 6(3), 191-215.
- Main, F. S. (2009). Psychological operations support to strategic communications in Afghanistan. Army War Coll. Carlisle Barracks PA.
- Montgomery, D. C. (2008). Design and analysis of experiments. John Wiley & Sons, NYC
- Raybourn, E.M. 2012. Beyond serious games: Transmedia for more effective training & education, Proc. DHSS2012, Rome, Italy
- Tremori A., Baisini C., Enkvist T., Bruzzone A.G., Nyce J. M. (2012), "Intelligent Agents and Serious Games for the development of Contextual Sensitivity", Proceedings of AHFE 2012, San Francisco, US, July